



X | PRO
FOOTWEAR



X|PRO
FOOTWEAR

XPP2050
HUTTON
Pg 4-5

XPP2100/XPP2150
ZIPSTER
Pg 6-7

XPP2200/XPP2250
RAPTOR
Pg 8-9



HUTTON

XPP2050

- **S3 COMPLETE PROTECTION** Composite Protective toecap and midsole
- **TOUGH X™** Tough PU overcap is directly moulded over the toe for ultimate wear resistance
- **COMFORT X™** Full-surface anatomically shaped shock absorbing PU foam removable footbed
- Enhanced stability TPU reinforced heel and ankle support
- Premium quality genuine leather upper
- **GRIP X™** 4.2 Dual density PU/PU hardwearing outsole with Elastopan® high performance polyurethane midsole
- Large back puller for easy fitting, even with gloved hands
- Double elastic gusset

SPECIFICATION
 EN ISO 20345:2022
 S3L FO LG SC SR
 WPA

COLOURS
 BROWN

SIZES
 EU 39-48 | UK 6-13





ZIPSTER

XPP2100/XPP2150

- **S3 COMPLETE PROTECTION** Composite Protective toecap and midsole
- **TOUGH X™** Tough PU overcap is directly moulded over the toe for ultimate wear resistance
- **ZIP SIDE** Laced for a secure, comfortable fit, with rapid access zip side
- Enhanced stability TPU reinforced heel and ankle support
- Premium quality genuine leather upper
- **GRIP X™** 4.2 Dual density PU/PU hardwearing outsole with Elastopan® high performance polyurethane midsole
- Large back puller for easy fitting, even with gloved hands
- **COMFORT X™** Full-surface anatomically shaped shock absorbing PU foam removable footbed

SPECIFICATION
 EN ISO 20345:2022
 S3L FO LG SC SR
 WPA

COLOURS
 BLACK, BROWN

SIZES
 EU 39-48 | UK 6-13





RAPTOR

XPP2200/XPP2250

- **S7L COMPLETE PROTECTION** Composite Protective toecap and midsole
- **DRY X™** Waterproof and Breathable membrane
- **TOUGH X™** Tough TPU overcap for ultimate wear resistance
- Enhanced stability TPU reinforced heel and ankle support
- **LIGHT X™** Reduced weight and exceptional thermal properties
- Premium quality genuine leather upper
- **GRIP X™** 8.0 Nitrile Rubber/EVA hardwearing SR slip resistant outsole
- **COMFORT X™** Full-surface anatomically shaped shock absorbing PU foam removable footbed
- Waterproof membrane for highly effective protection against water and wind, waterproof to 30,500mm

SPECIFICATION
EN ISO 20345:2022
S7L SR HRO LG SC
FO WPA WR

COLOURS
BLACK, BROWN

SIZES
EU 39-48 | UK 6-13



SAFETY RATINGS EXPLAINED

SAFETY FOOTWEAR - EN ISO 20345

All Xpert safety footwear meets the requirements of European Standard: EN ISO 20345. This testing standard ensures that our safety footwear meets the requirements (innocuousness, comfort, robustness and protection against the risks claimed) of the Personal Protective Equipment (PPE) regulation EU 2016/425 as brought into UK Law and amended.

In addition, all our safety footwear is accompanied with an EU Declaration of Conformity, EU Type Examination Certification, and UK Declaration of Conformity UKCA where required. There are varying safety classes within our product range, the safety class depends on the features on the footwear, and the footwear style.

SAFETY CATEGORIES

There is a comprehensive range of tests carried out within the ISO certification process. This test criteria is grouped into simplified, standardised safety categories, that ensure key criteria are met. The safety rating on all Xpert PRO footwear is clearly marked on the label inside or on the sole of the boot.

Footwear Properties	OB	SB	SBP	S1	S2	S3	S4	S5	S6	S7
Slip resistance basic requirement		✓	✓	✓	✓	✓	✓	✓	✓	✓
200 Joule toe cap		✓	✓	✓	✓	✓	✓	✓	✓	✓
1100 Newton puncture resistant mid-plate			✓			✓		✓		✓
Closed in heel / seat region				✓	✓	✓	✓	✓	✓	✓
Anti-static properties				✓	✓	✓	✓	✓	✓	✓
Shock-absorbing - Energy absorption of seat region				✓	✓	✓	✓	✓	✓	✓
Fuel oil / Hydrocarbon resistant outsole				✓	✓	✓	✓	✓	✓	✓
Water penetration & absorption resistant upper - WPA					✓	✓	✓	✓	✓	✓
Cleated outsole						✓		✓		✓
Entirely of rubber or class II polymer construction							✓	✓		
Water resistant footwear with waterproof membrane - WR									✓	✓

GRIP RATINGS

Safety Footwear must be tested for grip on forward flat slip, and forward heel slip, in various test circumstances. The grip rating on all Xpert PRO footwear is clearly marked on the label inside or

Ø

ISO 20345:2022 Marking. Not able to be tested for slip resistance, as it offers studs or spikes, or is for use within special work-places and is therefore not applicable

SR

ISO 20345:2022 Marking. Slip resistant tested on ceramic tile with glycerol

Xpert Footwear Sizing

All Xpert safety footwear is true to size, so whatever your normal shoe-size is, this is what you should be in Xpert. Safety footwear is wide fitting, which allows space for a thicker work sock if required.

Foot length is the length in millimetres from the tip of your longest toe to your heel.

SIZE COMPARISON CHART

UK SIZE	US SIZE	EU SIZE	Foot Length (mm)
UK6	US7	EU39	246
UK6.5	US7.5	EU40	250
UK7	US8	EU41	254
UK8	US9	EU42	263
UK9	US10	EU43	272
UK10	US11	EU44	276
UK10.5	US11.5	EU45	280
UK11	US12	EU46	289
UK12	US13	EU47	298
UK13	US14	EU48	306

We have the applicable footwear for all work conditions, and you can easily see the safety class of footwear by checking the label inside the boot:

UK 0	US 0	EU 0	Size in UK, US and EU
 Style No. XP100 Cottonmount Trading Ltd			Style Code
CE	UK CA	EN ISO 20345:2011 S3 SRC	ISO Safety protection standard Safety Rating, Slip Rating CE and UKCA Approval Marks
Leather Upper Synthetic Lining Synthetic Sole			
DOM: 00/0000	PO: 0000	Manufacturer PO Reference	
		Date of Manufacture	



At Xpert, we commit 1% of our sales to charitable causes. In 2024 we are proud to partner with **Diabetes UK** and **Diabetes Ireland**. Learn more at xpertworkwear.com/foundation.